



January 28, 2022  
Thermory USA Declaration #: CAD22-01

To Whom It May Concern:

Thermory USA conforms to the following product content restrictions per the

**International Living Future Institute, Red List (LBC\_v4.0\_Red-List-CAS-Guide\_July-2019)**

For the products Thermory USA decking Benchmark Series Ash, Benchmark Series Pine and Kodiak in Spruce. The product material was screened by name and CAS RN (as available) on the attached Health Product Declaration. Thermory USA uses only heat and steam to thermally treat their products therefore no chemicals are used in the process.

The self-declared material statement was gathered by Thermory USA in accordance with ISO 17050-1:2004, General Requirements for a Conformity Assessment and ISO 17067:2013. All raw materials were inventoried to 100 ppm (0.01%) and then screened for prohibited substances per the requirements of the International Living Future Institute's Red List.

**This product DOES NOT contain:**

- Chemicals screened by CAS RN, per the document LBC\_v4.0\_Red-List-CAS-Guide\_July-2019

**Thermory USA Contact**

Geanna Johnson

Email: [geanna@thermoryusa.com](mailto:geanna@thermoryusa.com)

*Geanna Johnson*

Signature: [Geanna Johnson \(Jan 31, 2022 14:06 MST\)](#) Date: January 28, 2022

Architectural Representative

Address: 537 W. Highlands Ranch Pkwy., #114, Highlands Ranch, CO, 80129

Website: [www.thermoryusa.com](http://www.thermoryusa.com)

**Declaration Reviewer**

Denice Viktoria Staaf, LEED AP BD+C

Email: [dstaaf@labelingsustainability.com](mailto:dstaaf@labelingsustainability.com)

Signature: *Denice Viktoria Staaf* Date: January 28, 2022

Website: [www.labelingsustainability.com](http://www.labelingsustainability.com)